

## M23 cover-s met. for HBM, chain 100mm



Part number	09 15 600 9102
Specification	M23 cover-s met. for HBM,chain 100mm
HARTING eCatalogue	https://b2b.harting.com/09156009102

Image is for illustration purposes only. Please refer to product description.

## Identification

Category	Hoods/Housings
Series	Circular connectors M23
Identification	Power
Type of hood/housing	Cover
Description of hood/housing	for bulkhead mounted housings for cable to cable housing With chain (70 mm)
Version	
Size	M23
Locking type	Screw locking
Technical characteristics Limiting temperature	-40 +125 °C
Degree of protection acc. to IEC 60529	IP67 / IP69 / IPX9K acc. to ISO 20653 locked condition
Material properties	
Material (hood/housing)	Copper-zinc alloy
Surface (hood/housing)	Nickel plated
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained

Page 1 / 2 | Creation date 2022-12-16 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electronics GmbH | Marienwerderstraße 3 | 32339 Espelkamp | Germany Phone +49 5772 47-97200 | electronics@HARTING.com | www.HARTING.com



Material properties	
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead
Fire protection on railway vehicles	EN 45545-2 (2020-08)
Requirement set with Hazard Levels	R26
Specifications and approvals	
UL / CSA	UL 1977 ECBT2.E235076
Commercial data	
Packaging size	5
Net weight	11.72 g
Country of origin	Germany
European customs tariff number	74199990
GTIN	5713140184442
eCl@ss	27440208 Cap for industrial connectors