

## Han 3A Protect Cover, 1 Lever, Die Cast



Part number	09 20 003 5421
Specification	Han 3A Protect Cover, 1 Lever, Die Cast
HARTING eCatalogue	https://b2b.harting.com/09200035421

Image is for illustration purposes only. Please refer to product description.

## Identification Category Accessories Han $A^{\mathbb{R}}$ Series of hoods/housings Protection cover Type of hood/housing for hoods Metal Description of hood/housing With fixing cord With seal Version Size 3 A Single locking lever Locking type Details for mounted female insert **Technical characteristics** Limiting temperature -40 ... +125 °C IP44 Degree of protection acc. to IEC 60529 IP65 / IP67 with seal screw 09 20 000 9918 Type rating acc. to UL 50 / UL 50E 12 Material properties Material (seal) NBR Material (locking) Steel Surface (locking) Zinc plated RoHS compliant

Page 1 / 2 | Creation date 2022-08-15 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric Stiftung & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com



## Material properties

ELV status	compliant
China RoHS	e
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol
California Proposition 65 substances	Not contained
Fire protection on railway vehicles	EN 45545-2 (2020-08)
Requirement set with Hazard Levels	R1 (HL 1-3) R7 (HL 1-3)
Specifications and approvals	
Approvals	DNV GL
Commercial data	
Packaging size	10
Net weight	30.72 g
Country of origin	Germany
European customs tariff number	85389099
GTIN	5713140038912
eCl@ss	27440208 Cap for industrial connectors